






WATER FACILITIES not good. Supply from Private Wells & Cisterns. No Fire Dept. Town owns 12 Six gal chem. Ex'tys & 24 Three gal chem. Ex'tys which are distributed about town in Mercantile blocks. Streets not paved. Public lights electric.



RECAPITULATION OF CENSUS... JUN 1 1900... JUN 1 1908... 73,090...




















INDEX

Table with columns for SPECIALS, H, and M, listing various buildings and their locations.



KEY: BUILDINGS COLORED YELLOW ARE FRAMES... RED BRICK... BLUE STONE... BROWN BRICK... GREEN SPECIALS...





(BROADWAY)

BROAD

MAIN

3

SIXTH

5

FIFTH (SUBLIMITY)

FOURTH (MANCHESTER)

THIRD

SECOND

FIRST

4

8

9

10

11


6

7

11

FIRST

2



Scale of Feet.
0 50 100 150

NO EXPOSURE
UNIVERSITY
HEARSE HO
NO EXPOSURE

Map Station
LONDON
Library of Congress

APRIL 1908
LONDON
KY.



LONDON GRADED SCHOOL
HEAT SYSTEM (LIGHTS PLUMBING)
28 28 28 28

J. T. BROWN LONDON ROLLER MILL.
ROLLER MILL CORN MILL & WOOD CARDING
NO WASTE - NO STEEL COAL
NO LIGHTS - 5 FINE ESTIMOUSERS
EMPTY 500 BBL. PER 24 HOURS
MACHINE 105' 1 CORN GRIND
100' 4 3/4" DOUBLE ROLLER
100' 2" DOUBLE ROLLER
200' 2" DOUBLE ROLLER
100' 2" DOUBLE ROLLER
100' 2" DOUBLE ROLLER
100' 2" DOUBLE ROLLER
100' 2" DOUBLE ROLLER

PENNINGTON INFIRMARY
HEAT SYSTEM
LIGHTS PLUMBING

1ST CHRISTIAN CHURCH
10' TO 5' 6"

Map of London
APRIL 1908
Library of Congress